

















EKAR GT GROUPSET COMPATIBILITY TABLE

EKAR GT GROUPSET COMPATIBILITY TABLE

COMPONENT	GROUP	TECHNICAL SPECIFICATIONS	MARKING ON THE COMPONENT	COMPATIBLE COMPONENT	GROUP	TECHNICAL SPECIFICATIONS	MARKING ON THE COMPONENT
		POWER-SHIFT 3 UP / 1 DOWN	EP25-EKD13R4				
			RD25-EK13	REAR DERAILLEUR		not compatible with 10-48 sprockets	RD21-EK13 RD21-EK13 (CF)
	12s / 13s	Ø 4.1 mm	THE MAXIMUM SMOOTHNESS*				
* As of July 2024, housings may no longer be marked "The Maximum Smoothness".							
		36 -38-40 42-44	FC25-EK13	CRANKSET		38 - 40 42 - 44	FC21-EK13
Important! Individual Ekar/Ekar GT chainrings are not interchangeable							
	CUPS	PRO TECH (standard)	OC21-PR				
		PRO TECH (Press Fit)	IC21-PR				
		9-42 10-44 10-48	CS25-EK13 CS25-EK1308	SPROCKET CASSETTE		9-36 9-42 10-44	CS21-EK13
		HD-LINK- 118 links C-LINK- 117 links HD-LINK- 124 links C-LINK- 123 links	C13				

KEY
original components
compatible components

MARKING POSITIONING ON COMPONENTS

