


AM VERSION WITH EXTERNAL INTERFACE


Standard configuration L / R




ERGOWPOWER L. + FRONT CALIPER*
EP19-SRD12LF6EPS




ROTOR 160 mm
DB-160C3




ERGOWPOWER R. + REAR CALIPER 140 mm
EP19-SRD12RR4EPS




ROTOR 140 mm
DB-140C3




ERGOWPOWER L. + REAR CALIPER 140 mm
EP19-SRD12LR4EPS



bracket front adapter
140+4screws
AC18-DBCNF4



ROTOR 140 mm
DB-140C3



ERGOWPOWER R. + REAR CALIPER 160 mm
EP19-SRD12RR6EPS




ROTOR 160 mm
DB-160C3


UK configuration R / L




ERGOWPOWER R. + FRONT CALIPER*
EP19-SRD12RF6EPS




ROTOR 160 mm
DB-160C3



ERGOWPOWER L. + REAR CALIPER 140 mm
EP19-SRD12LR4EPS




ROTOR 140 mm
DB-140C3



ERGOWPOWER R. + REAR CALIPER 140 mm
EP19-SRD12RR4EPS



bracket front adapter
140+4screws
AC18-DBCNF4



ROTOR 140 mm
DB-140C3



ERGOWPOWER L. + REAR CALIPER 160 mm
EP19-SRD12LR6EPS



ROTOR 160 mm
DB-160C3

COUPLE OF REAR SCREWS*

AC18-DBSC19 (19 mm)
frame 10-14 mm

AC18-DBSC24 (24 mm)
frame 15-19 mm

AC18-DBSC29 (29 mm)
frame 20-24 mm

AC18-DBSC34 (34 mm)
frame 25-29 mm

AC18-DBSC39 (39 mm)
frame 30-34 mm


AC18-DBSC44 (44 mm)
frame 35-39 mm

*for each rear caliper order
one code of screws

DC12-RE2B - CLAMP FOR Ø 32 mm
DC12-RE5B - CLAMP FOR Ø 35 mm
FD-SR001EPS - STIFFNESS INCREASER
FD-SR003 - CHAIN GUARD (Brazed on or Clamp)
FD-SR203 - CHAIN SECURE DEVICE (Brazed on ONLY)




12s FRONT DERAILLEUR
FD19-SR12BEPS



SOLUTION 1
AC16-HOBCEPS



SOLUTION 2
AC16-HOSP27
or
AC16-HOSP32



V4 POWER UNIT 12s
PU19-12EPS



V4 INTERFACE UNIT
IF19-12EPS



ULTRA-TORQUE CUPS
IC19-UT73
IC15-RE...
IC15-UT...
OC12-SR...



12s ULTRA-TORQUE CRANKSET
FC19-SR...



12s REAR DERAILLEUR
RD19-SR12EPS



12s SUPER RECORD SPROCKETS
CS19-SR1212
CS19-SR1219



12s CHAIN
CN19-SR1214

CABLE BATTERY CHARGER
AC12...

V3 / V4 BATTERY CHARGER
AC19-BCEPS

ACCESSORIES

AC18-DBADR6

Adapter kit 140 to 160mm for rear caliper+2 fixing screws

LEGENDA

Compulsory


Optional

AM VERSION WITH INTERNAL INTERFACE


Standard configuration L / R




ERGOPOWER L. + FRONT CALIPER*
EP19-SRD12LF6EPS



ROTOR 160 mm
DB-160C3




ERGOPOWER R. + REAR CALIPER 140 mm
EP19-SRD12RR4EPS




ROTOR 140 mm
DB-140C3



ERGOPOWER L. + REAR CALIPER 140 mm
EP19-SRD12LR4EPS




bracket front adapter
140+4screws
AC18-DBCNF4



ROTOR 140 mm
DB-140C3



ERGOPOWER R. + REAR CALIPER 160 mm
EP19-SRD12RR6EPS




ROTOR 160 mm
DB-160C3


UK configuration R / L




ERGOPOWER R. + FRONT CALIPER*
EP19-SRD12RF6EPS




ROTOR 160 mm
DB-160C3




ERGOPOWER L. + REAR CALIPER 140 mm
EP19-SRD12LR4EPS




ROTOR 140 mm
DB-140C3



ERGOPOWER R. + REAR CALIPER 140 mm
EP19-SRD12RR4EPS




bracket front adapter
140+4screws
AC18-DBCNF4



ROTOR 140 mm
DB-140C3



ERGOPOWER L. + REAR CALIPER 160 mm
EP19-SRD12LR6EPS



ROTOR 160 mm
DB-160C3

COUPLE OF REAR SCREWS*

AC18-DBSC19 (19 mm)
frame 10-14 mm

AC18-DBSC24 (24 mm)
frame 15-19 mm

AC18-DBSC29 (29 mm)
frame 20-24 mm

AC18-DBSC34 (34 mm)
frame 25-29 mm

AC18-DBSC39 (39 mm)
frame 30-34 mm


AC18-DBSC44 (44 mm)
frame 35-39 mm

*for each rear caliper order
one code of screws

DC12-RE2B - CLAMP FOR Ø 32 mm
DC12-RE5B - CLAMP FOR Ø 35 mm
FD-SR001EPS - STIFFNESS INCREASER
FD-SR003 - CHAIN GUARD (Brazed on or Clamp)
FD-SR203 - CHAIN SECURE DEVICE (Brazed on ONLY)



12s FRONT DERAILLEUR
FD19-SR12BEPS



SOLUTION 1 AC16-HOBCEPS	
SOLUTION 2 AC16-HOSP27 or AC16-HOSP32	



V4 POWER UNIT 12s
PU19-12EPS



V4 INTERNAL INTERFACE
IF19-12INEPS




ULTRA-TORQUE CUPS
IC19-UT73
IC15-RE...
IC15-UT...
OC12-SR...



12s ULTRA-TORQUE CRANKSET
FC19-SR...



12s REAR DERAILLEUR
RD19-SR12EPS



12s SUPER RECORD SPROCKETS
CS19-SR1212
CS19-SR1219



12s CHAIN
CN19-SR1214

CABLE BATTERY CHARGER
AC12...

V3 / V4 BATTERY CHARGER
AC19-BCEPS

FRAME CABLES
AC19-CAFEPS

HANDLEBAR CABLES
AC19-CAEPS

ACCESSORIES

AC18-DBADR6


Adapter kit 140 to 160mm for rear caliper+2 fixing screws

LEGENDA

— Compulsory




- - - Optional

AM VERSION



CLAMP FOR Ø 32 mm	DC12-RE2B
CLAMP FOR Ø 35 mm	DC12-RE5B
STIFFNESS INCREASER	FD-SR001EPS
CHAIN GUARD (Brazed on or Clamp)	FD-SR003
CHAIN SECURE DEVICE (Brazed on ONLY)	FD-SR103

TOOLS



SOLUTION 1	UT-PU010 (V3 / V4 POWER UNIT INTERNAL INSTALLATION)
SOLUTION 2	NOT NEEDED

LEGENDA
— Compulsory
- - - Optional

